IN THE CLAIMS:

1. (Previously Presented) A PKI certificate architecture for a network connected gaming system, the gaming system including a plurality of gaming machines each having a plurality of executable software components, wherein each different executable software component within each gaming machine within the gaming system subject to receive certification is uniquely associated with a unique identifier and is signed with a separate and unique PKI certificate, the separate and unique PKI certificate being uniquely identified at least by the unique identifier, wherein identical executable software components in different ones of the plurality of gaming machines of the network connected gaming system are associated with identical identifiers and are signed with identical PKI certificates, such that non-identical executable software components in different ones of the plurality of gaming machines are associated with separate and different identifiers and are signed with separate and different PKI certificates, and such that no two non-identical executable software components in different gaming machines are signed with a same PKI certificate.

- 2. **(Previously Presented)** A PKI certificate architecture according to claim 1, wherein each software component is authorized by a regulatory authority.
- 3. **(Previously Presented)** A PKI certificate architecture according to claim 1, wherein the separate and unique PKI certificate is produced by the certification lab, by the gaming system supplier or by the trusted party designated by the regulatory authority.
- 4. **(Previously Presented)** A PKI certificate architecture according to claim 1, wherein each software component is code signed by a certification lab, by a gaming system supplier or by a trusted party designated by the regulatory authority.

- 5. **(Previously Presented)** A PKI certificate architecture according to claim 1, wherein the separate and unique identifier is a certificate field selected from a "Subject" field, an "issued to" field, a "subject name" field, a "CommonName" field, a "provider" field or a "publisher" field.
- 6. **(Previously Presented)** A PKI certificate architecture according to claim 1, wherein the unique identifier comprises at least one of fields and field extensions.
- 7. **(Previously Presented)** A PKI certificate architecture according to claim 1, wherein the unique identifier comprises at least one of a plurality of fields selected from among:
 - a software component part number;
 - a software component major version number;
 - a software component minor version number;
 - a software component build number;
 - a software component revision number;
 - a software component project name;
 - a software component type of software component;
 - a software component language variant;
 - a software component game regulation variant;
 - a software component friendly name;
 - an identification of the certification laboratory, and
 - an identification of the client.
- 8. **(Previously Presented)** A PKI certificate architecture according to claim 7, wherein the unique identifier is a concatenation of selected identifiers.

9. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein at least a portion of the unique identifier is reported in the Windows event log upon

execution of the software component.

10. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein at least a portion of the unique identifier is reported in the source field of the Windows

event log upon execution of the software component.

11. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein at least a portion of the unique identifier is reported in the Windows event log upon

execution of the software component in a predetermined event log bin upon execution of the

software component.

12. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein at least a portion of the unique identifier is traceable in at least one of:

source code;

Windows File Properties;

Trusted Inventory;

Windows Event Log;

Software Restriction Policies, and

Certificate Store.

13. (Original) A PKI certificate architecture according to claim 1, wherein the

network connected gaming system is connected in at least one of a local area system and wide

area network.

Page 4 of 19

Serial No. 10/789,975

Atty. Docket No. CYBS5858

14. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein the network connected gaming system comprises at least one of gaming terminals,

gaming servers and computers.

15. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein the unique identifier contains identification information delimited with file-name-

allowed non-alphanumeric characters to facilitate human identification, string searches and file

searches.

16. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein a selected set of identification information making up the unique identifier are used for

making up the file name of PKI certificate related files such as *.CER, *.P7B and *.PVK such as

to facilitate human identification, string searches and file searches.

17. (Previously Presented) A method for a network connected gaming system to

prevent unauthorized software components of constituent computers of the gaming system from

executing, the gaming system including a plurality of gaming machines each having a plurality

of executable software components, the method comprising the steps of:

producing a separate and unique PKI certificate for each of the plurality of executable

software component subject to receiving certification within each gaming machine, each

software component subject to receiving certification including a unique identifier;

code signing each executable software component subject to receiving certification with

its respective separate and unique PKI certificate, each respective PKI certificate being uniquely

identified at least by a unique identifier that is uniquely associated with the executable software

component such that identical executable software components in different ones of the plurality

Page 5 of 19

of gaming machines of the network connected gaming system are associated with identical

identifiers and are code signed with identical PKI certificates, such that non-identical executable

software components in different ones of the plurality of gaming machines are associated with

separate and different identifiers and are code signed with separate and different PKI certificates

and such that no two non-identical executable software components in different gaming

machines are code signed with a same PKI certificate, and

configuring software restriction policy certificate rules to allow execution of only those

executable software components whose code signed PKI certificate is determined to be

authorized.

18. (Previously Presented) A method according to claim 17, further comprising the

step of configuring software restriction policy rules to prevent execution of unauthorized

software components.

19. (Previously Presented) A method according to claim 17, further comprising the

step of configuring software restriction policy rules to prevent execution of all not explicitly

authorized software components.

20. (Previously Presented) A method for a network connected gaming system to

enable only authorized software components of constituent computers of the gaming system to

execute, comprising the steps of:

code signing each authorized software component with a PKI certificate such that

identical authorized software components in different ones of the constituent computers are code

signed with identical PKI certificates, such that non-identical authorized software components in

different ones of the constituent computers are code signed with separate and different PKI

Page 6 of 19

Serial No. 10/789,975

Atty. Docket No. CYBS5858

certificates and such that no two non-identical authorized software components in different ones

of the constituent gaming machines are code signed with a same PKI certificate;

configuring a separate software restriction policy for each authorized software component

in each of the constituent computers of the gaming system, and associating the configured

separate software restriction policy with the PKI certificate with which the authorized software

component was code signed;

enforcing the associated software restriction policy for each code signed authorized

software component such that each code signed authorized software component in each of the

constituent computers of the gaming system must be authorized to run by its associated separate

software restriction policy.

21. (Previously Presented) A method according to claim 20, wherein the authorized

software components are mandated by a regulatory body.

22. (Previously Presented) A method for a network connected gaming system to

enable only authorized software components of constituent computers of the gaming system to

execute, comprising the steps of:

configuring a separate and unique certificate software restriction policy for each

authorized executable software component of each of the constituent computers of the gaming

system such that the each authorized executable software component in each of the constituent

computers of the gaming system must be authorized to run by its associated separate software

restriction policy;

code signing each authorized software component with a PKI certificate such that

identical authorized software components in different ones of the constituent computers are code

Page 7 of 19

signed with identical PKI certificates, such that non-identical authorized software components in

different ones of the constituent computers are code signed with separate and different PKI

certificates and such that no two non-identical authorized software components in different ones

of the constituent gaming machines are code signed with a same PKI certificate;

configuring a path software restriction policy to prevent unauthorized software

components from executing;

configuring a path software restriction policy to prevent non-explicitly authorized

software components from executing;

enforcing the certificate software restriction policy configured for each of the code signed

authorized executable software components of each of the constituent computers of the gaming

system, and

enforcing the path software restriction policies.

23. (Previously Presented) A method according to claim 22, wherein the authorized

software components are mandated by a regulatory body.

24. (Previously Presented) A method for a network connected gaming system to

enable only authorized software components of constituent computers of the gaming system to

execute, the gaming system including a plurality of gaming machines each having a plurality of

executable software components, the method comprising the steps of:

producing a separate and unique PKI certificate for each of the plurality of executable

software components within the gaming system subject to receive certification, each respective

PKI certificate being associated with a unique identifier that is uniquely associated with the

executable software component such that identical executable software components in different

Page 8 of 19

ones of the plurality of gaming machines of the network connected gaming system are associated

with identical identifiers and are code signed with identical PKI certificates, such that non-

identical executable software components in different ones of the plurality of gaming machines

are code signed with separate and different PKI certificates and such that no two non-identical

executable software components in different gaming machines are code signed with a same PKI

certificate;

code signing each software component subject to receive certification with its respective

separate and unique PKI certificate;

configuring a certificate software restriction policy for each of the respective separate and

unique PKI certificates, and

enforcing the certificate software restriction policy for each of the respective separate and

unique PKI certificates.

25. (Previously Presented) A method for downloading authorized executable

software components and allowing execution of downloaded authorized executable software

components of a plurality of gaming machines of a network connected gaming system,

comprising the steps of:

for each of the plurality of gaming machines of the network connected gaming system:

code signing each authorized executable software component with a separate PKI

certificate that is unique to the authorized software component such that identical executable

software components in different ones of the plurality of gaming machines of the network

connected gaming system are code signed with identical PKI certificates, such that non-identical

authorized software components in different ones of the plurality of gaming machines are code

Page 9 of 19

signed with separate and different PKI certificates and such that no two non-identical authorized

software components in different gaming machines are code signed with a same PKI certificate;

packaging the code signed authorized software components into an installation

package;

configuring install policies to install each code signed authorized executable

software component contained in the installation package;

configuring certificate rule policies to allow execution of the installed code signed

authorized executable software component;

configuring enforcement of the policies.

26-81. (Canceled)

82. (Previously Presented) An automated platform to enable an on-going regulatory

certification of a plurality of authorized software components of a network connected gaming

system including a plurality of computers, the method comprising:

a reference platform representative of a target network connected gaming system and

comprising a software-building environment located at a manufacturer or subcontractor of the

software components;

a certification platform located at a regulatory certification authority, the certification

platform being substantially identical to the reference platform, and

code-signing means for enabling the manufacturer or subcontractor to associate a

separate and unique PKI certificate with each authorized software component subject to

regulatory certification such that identical authorized software components subject to regulatory

certification in different ones of the plurality of gaming machines of the network connected

Page 10 of 19

gaming system are code signed with identical PKI certificates, such that non-identical executable

software components in different ones of the plurality of gaming machines are code signed with

separate and different PKI certificates, and such that no two non-identical executable software

components in different gaming machines are code signed with a same PKI certificate.

83. (Previously Presented) An automated platform according to claim 82, further

comprising a secure communication link between the reference platform and the certification

platform for enabling manufacturer or designated subcontractors to remotely configure the

software building environment on the certification platform.

84. (Previously Presented) An automated platform according to claim 82, wherein

the authorized software components to be downloaded to the network connected gaming system

are tested by the certification laboratory.

85. (Previously Presented) An automated platform according to claim 82, wherein

the authorized software components to be downloaded to the network connected gaming system

are compiled by the certification laboratory.

86. (Previously Presented) An automated platform according to claim 82, further

comprising a secure communication link between the reference platform and the certification for

enabling remote assistance.

87. (Previously Presented) An automated platform according to claim 82, further

comprising a secure communication link between the reference platform and the certification for

enabling users to carry out certification steps from a remotely located computer.

Page 11 of 19

88. (Original) An automated platform according to claim 82, wherein the code signing means comprises a certificate authority under control of the manufacturer for generating certificates.

89. (Original) An automated platform according to claim 82, wherein the code signing means comprises a certificate authority under control of the regulatory certification authority for generating certificates.

90. (**Previously Presented**) An automated platform according to claim 82, further comprising means for maintaining the software-building environment of the reference platform and the software-building environment of the certification platform synchronized.

91-97. (Canceled)